




OHVALE SRL  
Via Evangelista Torricelli 25 - 31021 Mogliano Veneto (TV)  
Tel. +39.041.5903584 - Fax +39.041.5938277  
[www.ohvale.com](http://www.ohvale.com) - [info@ohvale.com](mailto:info@ohvale.com)





USA  
CANADA  
MEXICO  
PERÚ  
ISRAEL  
LEBANON  
QATAR  
AUSTRALIA  
SOUTH AFRICA  
MOROCCO  
RUSSIA  
PHILIPPINES  
BRAZIL  
LA REUNION

COLOMBIA  
ECUADOR  
CHILE  
TAIWAN  
KUWAIT

**DISTRIBUTED IN  
53 COUNTRIES  
ALL AROUND  
THE WORLD**

INDIA  
EMIRATES  
MALAYSIA  
INDONESIA  
SOUTH KOREA  
CHINA  
BERMUDA ISLAND

**MADE  
IN ITALY  
MOTORBIKE**

**FOR THE  
WORLD'S  
KID AND ADULT  
RIDERS**



ITALY  
SPAIN  
FRANCE  
SLOVENIA  
GERMANY  
SLOVAKIA  
CZECH REP.  
HUNGARY  
HOLLAND  
DENMARK  
PORTUGAL  
ENGLAND  
GREECE  
FINLAND

TURKEY  
POLAND  
SWITZERLAND  
SWEDEN  
NORWAY  
BULGARIA  
ROMANIA  
IRELAND  
AUSTRIA  
BELGIUM  
LUXEMBOURG  
MALTA  
CROATIA







OFFICIAL AND SOLE MOTORCYCLE  
OF THE PROJECT  
FIM MINIGP WORLD SERIES



PART OF  
ROAD TO MOTOGP  
PROGRAM











# GP-2

## L'ESPERIENZA DI OHVALE GUARDA AL FUTURO.

Dall'esperienza accumulata nel corso degli anni nelle piste, nasce OHVALE GP-2. Evoluzione di OHVALE GP-0, creata per allargare la gamma e venire in contro alle nuove esigenze dei piloti, OHVALE GP-2 è caratterizzata da un nuovo telaio più lungo dedicato, nuova ergonomia per migliorare il comfort di guida e caratteristiche tecniche evolute. Cerchi da 12 pollici, forcella anteriore con precarico di serie, stelo da 33 mm e piedini CNC, con possibilità di effettuare l'upgrade montando steli da 38 mm pluriregolabili. L'impianto frenante J.Juan garantisce una migliore potenza in frenata e maggiore resistenza, la pinza anteriore a 4 pistoncini con diametro 25 mm assicura un'ottimale smaltimento del calore. Grafiche Racing e nuova carenatura rivista nelle dimensioni ed estetica che fanno di GP-2 una vera moto racing.

## OHVALE EXPERIENCE LOOKING AT THE FUTURE.

From the experience accumulated on the tracks, here you are OHVALE GP-2. Evolution of OHVALE GP-0, created to widen the range and meet the new needs of riders, OHVALE GP-2 is characterized by a new dedicated longer frame, new ergonomics to improve driving comfort and really innovative technical characteristics. 12-inch wheels, front fork with standard preload, 33 mm stem and CNC axle holder, with the possibility of upgrading by mounting multi-adjustable 38 mm stems. J.Juan braking system guarantees better braking power and greater resistance, the 4-piston front caliper with a 25 mm diameter ensures optimal heat dissipation. Racing graphics and new fairing revised in size and aesthetics give the GP-2 a true racing feeling.



# GP

190cc



Colorazione optional / Optional color



BLACK / FLUOR YELLOW  
STANDARD COLOR



WHITE / FLUOR RED  
STANDARD COLOR



BLUE / FLUOR YELLOW  
OPTIONAL COLOR



RED / FLUOR YELLOW  
OPTIONAL COLOR

## TECHNICAL SPECS:

M.Y.  
2023

**Motore:** Daytona 190cc 4 marce, 4T

**Carburatore:** Dell'Orto PHBH 28 BD (setting dedicato)

**Trasmissione:** rapporto 36/17, Regina Chain Gold Series

**Scarico:** collettori acciaio, terminale Arrow in titanio, predisposizione db killer

**Ammortizzatore:** piggy/back, setting Ohvale completamente regolabile

**Forcelle:** upside down con steli ø33mm, piedini CNC / Upgrade steli ø38mm pluriregolabile

**Forcellone post.:** in alluminio

**Pedane:** regolabili

**Impianto frenante:** -ant. J.JUAN, fissaggio pinza radiale 4xø25

-post. J.JUAN, pinza flottante 1xø25

**Cerchi:** ant. 2.50x12" / post. 3.00x12"

**Pneumatici:** Pirelli slick 12"

**Carenatura:** vetroresina

**Engine:** Daytona 190cc 4 marce, 4T

**Carburetor:** Dell'Orto PHBH 28 BD (dedicated setting)

**Transmission:** ratio 36/17, Regina Chain Gold Series

**Exhaust:** steel pipe, titanium Arrow silencer, ready for db killer

**Shock:** piggy/back, Ohvale setting fully adjustable

**Fork:** ø33mm upside down, CNC foot fork / Upgrade ø38mm fully adjustable

**Rear swing:** aluminium

**Footrest:** adjustable

**Braking system:** -front J.JUAN brand, monoblock radial caliper 4xø25

-rear J.JUAN brand, radial caliper 1xø25

**Wheels:** front 2.50x10" / rear 3.00x10"

**Tyres:** Pirelli slick 12"

**Fairings:** fiberglass

## COLORAZIONI COLORS

SUITABLE FOR:





## OHVALE GP-0: PURE RACING FEELING

OHVALE GP-0 si propone come un prodotto dal DNA sportivo al 100%, una moto che grazie alle sue doti di ciclistica, ergonomia e facilità di guida, è propedeutica per i più giovani o meno esperti e perfettamente in grado di regalare adrenalina e bagarre in pista ai motociclisti esperti.

Un progetto oltre il mezzo: Ohvale ha infatti creato, con la collaborazione della rete vendita e delle federazioni nazionali, un vero e proprio campionato monomarca basato su semplici regole: moto uguale per tutti / nessuna modifica ammessa / motori sigillati. OHVALE è quindi stata scelta come fornitore esclusivo del **FIM MiniGP World Series**, la nuova piattaforma **Road to MotoGP™** di **DORNA** e **FIM**.

OHVALE GP-0: 100% Racing DNA Motorcycle. Thanks to its characteristics of ergonomics, chassis and ease of riding, OHVALE GP-0 is a suitable as an educational and training tool for youngsters or less experienced riders, for people passionate in the 2-wheel sport, and more, OHVALE GP-0 is perfectly able to give adrenaline and competitiveness of track riding to experienced riders.

A real and true project behind the vehicle: Ohvale has created, with the cooperation of its dealership network and national federations, a one mark championships based on simple rules: equal bike for everyone / no modifications admitted / sealed engines. Ohvale has so been chosen as sole and official partner of **FIM MiniGP World Series**, the new **Road to MotoGP™** platform of **DORNA** and **FIM**.



# GP-0



## 110<sup>CC</sup> AUTOMATIC

TECHNICAL  
SPECS:

M.Y. 2023

**Motore:** ZS 110cc Automatico, 4T  
**Carburatore:** KF-PZ 19  
**Trasmissione:** rapporto 32/17, Regina Chain Gold Series  
**Scarico:** collettori acciaio, terminale Arrow in titanio, predisposizione db killer  
**Ammortizzatore:** piggy/back, setting Ohvale completamente regolabile  
**Forcelle:** upside down con steli ø33mm  
**Forcellone post.:** in alluminio  
**Pedane:** regolabili  
**Impianto frenante:** -ant. Formula, pinza monoblocco  
 -post. Formula, fissaggio pinza radiale  
**Cerchi:** Ohvale design, ant. 2.50x10" / post. 3.00x10"  
**Pneumatici:** Pirelli slick, sviluppati per Ohvale GP-0 - 10"  
**Carenatura:** vetroresina

**Engine:** ZS 110cc Automatic, 4 Stroke  
**Carburetor:** KF-PZ 19  
**Transmission:** ratio 32/17  
**Exhaust:** steel pipe, titanium Arrow silencer, ready for db killer  
**Shock:** piggy/back, Ohvale setting fully adjustable  
**Fork:** ø33mm upside down  
**Rear swing:** aluminium  
**Footrest:** adjustable  
**Braking system:** -front Formula brand, monoblock radial caliper  
 -rear Formula brand, radial caliper  
**Wheels:** Ohvale design, front 2.50x10" / rear 3.00x10"  
**Tyres:** Pirelli slick, developed for Ohvale GP-0 - 10"  
**Fairings:** fiberglass



## 110<sup>CC</sup> 4.SPEED EVO

TECHNICAL  
SPECS:

M.Y. 2023

**Motore:** ZS 110cc 4 marce, 4T  
**Carburatore:** Dell'Orto PHBL 24 (setting dedicato)  
**Trasmissione:** rapporto 35/14, Regina Chain Gold Series  
**Scarico:** collettori acciaio, terminale Arrow in titanio, predisposizione db killer  
**Ammortizzatore:** piggy/back, setting Ohvale completamente regolabile  
**Forcelle:** upside down con steli ø33mm, piedini CNC  
**Forcellone post.:** in alluminio  
**Pedane:** regolabili  
**Impianto frenante:** -ant. Formula, pinza monoblocco  
 -post. Formula, fissaggio pinza radiale  
**Cerchi:** Ohvale design, ant. 2.50x10" / post. 3.00x10"  
**Pneumatici:** Pirelli slick, sviluppati per Ohvale GP-0 - 10"  
**Carenatura:** vetroresina

**Engine:** ZS 110cc 4 speed, 4 Stroke  
**Carburetor:** Dell'Orto PHBL 24 (dedicated setting)  
**Transmission:** ratio 35/14, Regina Chain Gold Series  
**Exhaust:** steel pipe, titanium Arrow silencer, ready for db killer  
**Shock:** piggy/back, Ohvale setting fully adjustable  
**Fork:** ø33mm upside down, CNC foot fork  
**Rear swing:** aluminium  
**Footrest:** adjustable  
**Braking system:** -front Formula brand, monoblock radial caliper  
 -rear Formula brand, radial caliper  
**Wheels:** Ohvale design, front 2.50x10" / rear 3.00x10"  
**Tyres:** Pirelli slick, developed for Ohvale GP-0 - 10"  
**Fairings:** fiberglass

Colorazioni optional / Optional colors:  
Evo Red      Evo Yellow







Colorazioni optional / Optional colors:

Evo Red

Evo Yellow



**160<sup>CC</sup>**  
**4.SPEED EVO**

TECHNICAL  
SPECS:

M.Y. 2023

**Motore:** ZS 160cc 4 marce, 4T

**Carburatore:** Dell'Orto PHBH 28 BD (setting dedicato)

**Trasmissione:** rapporto 35/16, Regina Chain Gold Series

**Scarico:** collettori acciaio, terminale Arrow in titanio, predisposizione db killer

**Ammortizzatore:** piggy/back, setting Ohvale completamente regolabile

**Forcelle:** upside down con steli ø33mm, piedini CNC

**Forcellone post.:** in alluminio

**Pedane:** regolabili

**Impianto frenante:** -ant. J.Juan, pinza radiale, disco 190mm

-post. J.Juan, pinza flottante

**Cerchi:** Ohvale design, ant. 2.50x10" / post. 3.00x10"

**Pneumatici:** Pirelli slick, sviluppati per Ohvale GP-0 - 10"

**Carenatura:** vetroresina

**Engine:** ZS 160cc 4 speed, 4 Stroke

**Carburetor:** Dell'Orto PHBH 28 BD (dedicated setting)

**Transmission:** ratio 35/16, Regina Chain Gold Series

**Exhaust:** steel pipe, titanium Arrow silencer, ready for db killer

**Shock:** piggy/back, Ohvale setting fully adjustable

**Fork:** ø33mm upside down, CNC foot fork

**Rear swing:** aluminium

**Footrest:** adjustable

**Braking system:** -front J.Juan brand, radial caliper, 190mm disc

-rear J.Juan brand, floating caliper

**Wheels:** Ohvale design, front 2.50x10" / rear 3.00x10"

**Tyres:** Pirelli slick, developed for Ohvale GP-0 - 10"

**Fairings:** fibreglass

● = Optional

■ = Standard

- = Not available

\* Non utilizzabile nelle attività ufficiali Ohvale  
Can't be used in official Ohvale sport activities, check the rule in your championship

















# OPTIONAL

	GP-0 110 <sup>CC</sup> AUTOMATIC	GP-0 110 <sup>CC</sup> 4.SPEED EVO	GP-0 160 <sup>CC</sup> 4.SPEED EVO	GP-2 190 <sup>CC</sup> EVO
1. MOLLA FORCELLA K6 / K6 fork spring	●	●	●	● FORCELLA D33 D33 FORK
2. MOLLE FORCELLA D38 K 5.5 - K 6.5 / Fork spring D38 k 5.5 - k 6.5	-	-	-	● FORCELLA D38 D38 FORK
3. MOLLA AMMORTIZZATORE K140 / K 140 rear shock spring	●	■	■	●
4. MOLLA AMMORTIZZATORE K160 / K 160 rear shock spring	●	●	●	■
5. FORCELLA PLURIREGOLABILE D38 / Fully adjustable fork D38	-	-	-	●
6. KIT PRECARICO MOLLA / Spring preload kit	●	●	●	● FORCELLA D33 D33 FORK
7. LEVA CAMBIO ROVESCIATO / Reverser shifter lever	-	●	●	●
8. KIT DB KILLER / Db killer kit	●	●	●	●
9. PASTIGLIE FRENO ANTERIORI SBS / SBS front brake pads	●	●	■	■
10. TENDICATENA RACING / Racing chain tensioner	●	■	■	■
11. CAMBIO ELETTRONICO / Quick shifter	-	-	● *	●
12. DISCO FLOTTANTE 190 MM / Floating disk 190 MM	●	●	●	-
13. DISCO 190 MM / 190 MM disk	●	●	●	-
14. FRIZIONE ANTISALT. EVR/ EVR slipper clutch	-	-	● *	●
15. PARALEVA FRENO ANT. / Front lever guard	●	●	●	●
16. CRUSCOTTO ALFANDO/ Alfano Dashboard	●	●	●	●
17. TERMOCOPERTE / Tyre warmers	●	●	●	●
18. TELO COPRIMOTO / Bike cover	●	●	●	●
19. KIT RTGS FMI / RTGS kit for FMI	-	●	●	●
20. CAVALLETTO ANT. / Front wheel stand	●	●	●	●
21. CORONA ERGAL / Ergal sprocket	●	●	●	●
22. KIT PIGNONI / Pinions kit	●	●	●	●
23. KIT TAMPONI PERNO RUOTA / Axle bumpers kit	-	-	-	●
24. GRAFICHE PERSONALIZZATE / Custom graphics	●	●	●	●

SUITABLE FOR:





1.	2.	3.	4.	5.	6.	7.	8.
		 K 140	 K 160				
9.	10.	11.	12.	13.	14.	15.	16.
							
17.	18.	19.	20.	21.	22.	23.	24.
